

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Uses

Product name ROWE AMMONIUM CHLORIDE

Synonyms AMMONIUM CHLORIDE • CA1807, CA1808, CA1812, CA1820, CA6346 - PRODUCT CODES

1.2 Uses and uses advised against

ELECTROPLATING • FLUX • LABORATORY CHEMICAL(S)

As a flux for coating sheet iron with zinc, tinning; in dry and Leclanche batteries; dyeing; freezing mixtures; electroplating; to clean soldering irons; safety explosives; lustering cotton; tanning. Also used in washing powders; manufacture of dyes; in cement for iron pipes; for snow treatment (slows melting on ski slopes).

1.3 Details of the supplier of the product

| Supplier name | ROWE SCIENTIFIC PTY LTD |
|---------------|---|
| Address | 11 Challenge Blvd, Wangara, WA, 6065, AUSTRALIA |
| Telephone | (08) 9302 1911 |
| Fax | (08) 9302 1905 |
| Email | rowewa@rowe.com.au |
| Website | http://www.rowe.com.au |
| | |

1.4 Emergency telephone numbers

Emergency (08) 9302 1911

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Physical Hazards

Not classified as a Physical Hazard

Health Hazards

Acute Toxicity: Oral: Category 4 Serious Eye Damage / Eye Irritation: Category 2A

Environmental Hazards

Not classified as an Environmental Hazard

2.2 GHS Label elements

| Signal word | WARNING |
|-------------|---------|
| Pictograms | |

Hazard statements H302

H319

Harmful if swallowed. Causes serious eye irritation.



PRODUCT NAME ROWE AMMONIUM CHLORIDE

Prevention statements

| Response statements | |
|---------------------|--|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P270 | Do not eat, drink or smoke when using this product. |
| P264 | Wash thoroughly after handling. |
| | |

| P301 + P312 | IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. | | |
|--------------------|--|--|--|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to | | |
| | do. Continue rinsing. | | |
| P330 | Rinse mouth. | | |
| P337 + P313 | If eye irritation persists: Get medical advice/attention. | | |

Storage statements

None allocated.

Disposal statements

P501

Dispose of contents/container in accordance with relevant regulations.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

| Ingredient | CAS Number | EC Number | Content |
|-------------------|------------|-----------|---------|
| AMMONIUM CHLORIDE | 12125-02-9 | 235-186-4 | >99% |

4. FIRST AID MEASURES

4.1 Description of first aid measures

| Еуе | If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes. |
|----------------------|---|
| Inhalation | If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. |
| Skin | If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor. |
| Ingestion | For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting. Rinse mouth with water provided person is conscious. |
| First aid facilities | Eye wash facilities and safety shower are recommended. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases (nitrogen oxides, chlorides, hydrogen chloride) when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire.

5.4 Hazchem code

None allocated.

ChemAlert.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Contact emergency services where appropriate.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for reuse or disposal. Avoid generating dust.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

| Ingredient | Reference | | TWA | | STEL | |
|--------------------------|-----------|-----------|-----|-----|-------|--|
| Ingredient | Reference | ppm mg/m³ | | ppm | mg/m³ | |
| Ammonium chloride (fume) | SWA [AUS] | | 10 | | 20 | |

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Maintain dust / fume levels below the recommended exposure standard.

PPE

| Eye / Face | Wear dust-proof goggles. |
|-------------|---|
| Hands | Wear PVC or rubber gloves. |
| Body | When using large quantities or where heavy contamination is likely, wear coveralls. |
| Respiratory | At high dust levels, wear a Class P1 (Particulate) respirator. |



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Odour Flammability COLOURLESS OR WHITE GRANULAR POWDER ODOURLESS NON FLAMMABLE



PRODUCT NAME ROWE AMMONIUM CHLORIDE

| 9.1 | Information | on basic | physical | and | chemical | properties |
|------|-------------|-----------|----------|-----|----------|--------------|
| •••• | | 011 84010 | p | | 0 | p. 0 p 0 0 0 |

| internation on basic physical a | |
|---------------------------------|--------------------|
| Flash point | NOT RELEVANT |
| Boiling point | 520°C |
| Melting point | 340°C (Sublimes) |
| Evaporation rate | NOT AVAILABLE |
| рН | 5.5 (1 % Solution) |
| Vapour density | NOT AVAILABLE |
| Specific gravity | 1.53 |
| Solubility (water) | SOLUBLE |
| Vapour pressure | 0.13 kPa @ 160.4°C |
| Upper explosion limit | NOT RELEVANT |
| Lower explosion limit | NOT RELEVANT |
| Partition coefficient | NOT AVAILABLE |
| Autoignition temperature | NOT AVAILABLE |
| Decomposition temperature | NOT AVAILABLE |
| Viscosity | NOT AVAILABLE |
| Explosive properties | NOT AVAILABLE |
| Oxidising properties | NOT AVAILABLE |
| Odour threshold | NOT AVAILABLE |
| | |

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization will not occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), silver salts, potassium chlorate, interhalogens and metals.

10.6 Hazardous decomposition products

May evolve toxic gases (nitrogen oxides, chlorides, hydrogen chloride) when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

Information available for the ingredients:

| Ingredient | | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------------|--|------------------|--------------|-----------------|
| AMMONIUM CHLOR | IDE | 1650 mg/kg (rat) | > 2000 mg/kg | |
| Skin | Contact may result in irritation, redness, rash and dermatitis. | | | |
| Eye | Contact may result in irritation, lacrimation, pain and redness. | | | |
| Sensitisation | Not classified as causing skin or respiratory sensitisation. | | | |
| Mutagenicity | Not classified as a mutagen. | | | |
| Carcinogenicity | Not classified as a carcinogen. | | | |
| Reproductive | Not classified as a reproductive toxin. | | | |
| STOT - single exposure | Over exposure may result in irritation of the nose and throat, with coughing. High level exposure may result in breathing difficulties. Ingestion of large quantities may result in metabolic acidosis and excess urine. | | | |
| STOT - repeated exposure | Not classified as causing organ damage from repeated exposure. | | | |
| Aspiration | Not classified as causing as | piration. | | |

ChemAlert.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

C50 (daphnia magna): 161 mg/L/48 hrs.

12.2 Persistence and degradability

Persistence is unlikely, based on information available.

12.3 Bioaccumulative potential

Bioaccumulation is unlikely.

12.4 Mobility in soil

No information provided.

12.5 Other adverse effects

Ammonium chloride is harmful to aquatic life in very low concentrations. Toxic to plants. There is no evidence to suggest that ammonium chloride bioaccumulates.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

 Waste disposal
 Ensure product is covered with moist soil to prevent dust generation and dispose of to approved Council landfill. Contact the manufacturer/supplier for additional information (if required).

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

| | LAND TRANSPORT (ADG) | SEA TRANSPORT (IMDG / IMO) | AIR TRANSPORT (IATA / ICAO) |
|--------------------------------|----------------------|----------------------------|-----------------------------|
| 14.1 UN Number | None allocated. | None allocated. | None allocated. |
| 14.2 Proper Shipping Name | None allocated. | None allocated. | None allocated. |
| 14.3 Transport hazard class | None allocated. | None allocated. | None allocated. |
| 14.4 Packing Group | None allocated. | None allocated. | None allocated. |

14.5 Environmental hazards

No information provided.

14.6 Special precautions for user

Hazchem code None allocated.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals) All components are listed on AlIC, or are exempt.

16. OTHER INFORMATION

Additional information



PRODUCT NAME ROWE AMMONIUM CHLORIDE

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

| Abbreviations | ACGIH | American Conference of Governmental Industrial Hygienists |
|---------------|--|---|
| | CAS # | Chemical Abstract Service number - used to uniquely identify chemical compounds |
| | CNS | Central Nervous System |
| | EC No. | EC No - European Community Number |
| | EMS | Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods) |
| | GHS | Globally Harmonized System |
| | GTEPG | Group Text Emergency Procedure Guide |
| | IARC | International Agency for Research on Cancer |
| | LC50 | Lethal Concentration, 50% / Median Lethal Concentration |
| | LD50 | Lethal Dose, 50% / Median Lethal Dose |
| | mg/m³ | Milligrams per Cubic Metre |
| | OEL | Occupational Exposure Limit |
| | рН | relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). |
| | ppm | Parts Per Million |
| | STEL | Short-Term Exposure Limit |
| | STOT-RE | Specific target organ toxicity (repeated exposure) |
| | STOT-SE | Specific target organ toxicity (single exposure) |
| | SUSMP | Standard for the Uniform Scheduling of Medicines and Poisons |
| | SWA | Safe Work Australia |
| | TLV | Threshold Limit Value |
| | TWA | Time Weighted Average |
| Report status | This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS'). | |
| | It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier. | |
| | not provide an no liability for | as taken all due care to include accurate and up-to-date information in this SDS, it does ny warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts any loss, injury or damage (including consequential loss) which may be suffered or ny person as a consequence of their reliance on the information contained in this SDS. |
| Prepared by | Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com | |

[End of SDS]

ChemAlert.