Rowe Scientific pH 2 Citrate Buffer ROWE SCIENTIFIC

ROWE SCIENTIFICChemwatch Hazard Alert Code: 0Chemwatch: 26-6472
Version No: 5.1
Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirementsIssue Date: 22/07/2022
Print Date: 22/07/2022
LGHS.AUS.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Rowe Scientific pH 2 Citrate Buffer
Chemical Name	Not Applicable
Synonyms	CB2599; CB2601; CB2612
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

|--|--|--|

Details of the supplier of the safety data sheet

Registered company name	ROWE SCIENTIFIC
Address	11 Challenge Boulevard Wangara WA 6065 Australia
Telephone	+61 8 9302 1911
Fax	+61 8 9302 1905
Website	http://rowe.com.au/
Email	rowewa@rowe.com.au

Emergency telephone number

Association / Organisation	ROWE SCIENTIFIC
Emergency telephone numbers	+61 8 9302 1911 (24 Hrs)
Other emergency telephone numbers	Not Available

SECTION 2 Hazards identification

Classification of the substance or mixture	
Poisons Schedule	Not Applicable
Classification ^[1]	Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2A
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)	

Signal word Warning

Hazard statement(s)

H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary statement(s) Prevention

P280	Wear protective gloves, protective clothing, eye protection and face protection.
P264	Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P302+P352	IF ON SKIN: Wash with plenty of water.	

 P332+P313
 If skin irritation occurs: Get medical advice/attention.

 P362+P364
 Take off contaminated clothing and wash it before reuse.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
77-92-9	<1	citric acid
7647-01-0	<1	hydrochloric acid
7647-14-5	<1	sodium chloride
7732-18-5	>60	water
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
----------------------	-------------

Advice for firefighters

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of: carbon dioxide (CO2) chlorides
HAZCHEM	Not Applicable

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	 Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required. Prevent spillage from entering drains or water ways. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal. Wash area and prevent runoff into drains or waterways. If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. When handling DO NOT eat, drink or smoke. Always wash hands with soap and water after handling. Avoid physical damage to containers. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

oonaliono for ouro delago, moldaling any moonipalionaloo		
Suitable container	 Glass container is suitable for laboratory quantities Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. 	
Storage incompatibility	None known	

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	hydrochloric acid	Hydrogen chloride	Not Available	Not Available	5 ppm / 7.5 mg/m3	Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3	
hydrochloric acid	Not Available	Not Available		Not Available	
hydrochloric acid	1.8 ppm	22 ppm		100 ppm	
sodium chloride	0.5 ppm	2 ppm		20 ppm	
Ingredient	Original IDLH		Revised IDLH		
citric acid	Not Available	Not Available		Not Available	
hydrochloric acid	50 ppm	50 ppm		Not Available	
sodium chloride	Not Available	Not Available		Not Available	
water	Not Available	Not Available		Not Available	

Occupational Exposure Banding

Ingredient

Occupational Exposure Band Rating

Occupational Exposure Band Limit

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit	
citric acid	E	≤ 0.01 mg/m³	
sodium chloride	E	≤ 0.01 mg/m³	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

MATERIAL DATA

None assigned. Refer to individual constituents.

Exposure controls

Appropriate engineering controls	General exhaust is adequate under normal operating conditions.	
Personal protection		
Eye and face protection	 Safety glasses with side shields; or as required, Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] 	
Skin protection	See Hand protection below	
Hands/feet protection	Wear protective gloves, e.g. PVC.	
Body protection	See Other protection below	
Other protection	 Overalls. Eyewash unit. 	

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Rowe Scientific pH 2 Citrate Buffer

Material	CPI
BUTYL	С
BUTYL/NEOPRENE	С
HYPALON	С
NAT+NEOPR+NITRILE	С
NATURAL RUBBER	С
NATURAL+NEOPRENE	С
NEOPRENE	С
NEOPRENE/NATURAL	С
NITRILE	С
NITRILE+PVC	С
PE/EVAL/PE	С
PVA	С
PVC	С
SARANEX-23	С
VITON	С
VITON/NEOPRENE	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

Type B-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	B-AUS / Class1 P2	-
up to 50	1000	-	B-AUS / Class 1 P2
up to 50	5000	Airline *	-
up to 100	5000	-	B-2 P2
up to 100	10000	-	B-3 P2
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Information on basic physical and chemical properties

Appearance	Clear, colourless liquid; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	~1.0
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	~100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	> 90
Vapour pressure (kPa)	2.3 @ 20C	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Applicable

SECTION 10 Stability and reactivity

Reactivity	See section 7	
Chemical stability	duct is considered stable and hazardous polymerisation will not occur.	
Possibility of hazardous reactions	See section 7	
Conditions to avoid	See section 7	
Incompatible materials	See section 7	
Hazardous decomposition products	See section 5	

SECTION 11 Toxicological information

Inhaled	Not normally a hazard due to non-volatile nature of product		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.		
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.		
Rowe Scientific pH 2 Citrate	ΤΟΧΙΟΙΤΥ	IRRITATION	
Buffer	Not Available	Not Available	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
citric acid	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (rabbit): 0.75 mg/24h-SEVERE	
	Oral (Rat) LD50; 3000 mg/kg ^[2]	Skin (rabbit): 500 mg/24h - mild	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
	dermal (mouse) LD50: 1449 mg/kg ^[2]	Eye (rabbit): 5mg/30s - mild	
hydrochloric acid	Oral (Rat) LD50; 900 mg/kg ^[2]	Eye: adverse effect observed (irritating) ^[1]	
		Skin: adverse effect observed (corrosive) ^[1]	

	ΤΟΧΙΟΙΤΥ	IRRITATION	
and Proven at the data	Dermal (rabbit) LD50: >10000 mg/kg ^[1]	Eye (rabbit): 10 m	g - moderate
sodium chloride	Inhalation(Rat) LC50; >10.5 mg/l4h ^[1]	Eye (rabbit):100 n	ng/24h - moderate
	Oral (Rat) LD50; 3000 mg/kg ^[2]	Skin (rabbit): 500	mg/24h - mild
	ΤΟΧΙΟΙΤΥ	IRRITATION	
water	Oral (Rat) LD50; >90000 mg/kg ^[2]	Not Available	
Legend:	Value obtained from Europe ECHA Registered Substa specified data extracted from RTECS - Register of Toxic	-	ned from manufacturer's SDS. Unless otherwise
CITRIC ACID	for citric acid (and its inorganic citrate salts) Based on many experimental data in animals and on hur for rats is 1200 mg/kg/d. The major, reversible (sub)chror absorption/excretion kinetics. Citric acid is not suspected reproductive toxicity for rats is 2500 mg/kg/d. Further, it is contrast, irritation, in particular of the eyes but also of the acid The CIR Expert Panel (Panel) assessed the safety of citr concluding that these ingredients are safe in the present chelating agent, or fragrance ingredient. Some of the sall reported to function as skin-conditioning agents but other because citric acid, calcium citrate, ferric citrate, mangan stearyl citrate, and triethyl citrate are generally recognize this cosmetic ingredient safety assessment.	hic toxic effects seem to be limited to of being a carcinogen nor a reproto s not mutagenic <i>in vitro</i> and <i>in vivo</i> . respiratory pathways and the skin, ic acid, 12 inorganic citrate salts, an practices of use and concentration. is are also reported to function as ch functions are also reported. The Pa ese citrate, potassium citrate, sodium	o changes in blood chemistry and metal xic or teratogenic agent. The NOAEL for Also, the sensitising potential is seen as low. In is the major toxicological hazard presented by citri d 20 alkyl citrate esters as used in cosmetics, Citric acid is reported to function as a pH adjuster, lealating agents, and a number of the citrates are unel reviewed available animal and clinical data, bu m citrate, diammonium citrate, isopropyl citrate,
HYDROCHLORIC ACID	for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5. Cells from the respiratory tract have not been examined in this respect. Mucous secretion may protect the cells of the airways from direct exposure to inhaled acidic mists, just as mucous plays an important role in protecting the gastric epithelium from its auto-secreted hydrochloric acid. In considering whether pH itself induces genotoxic events in vivo in the respiratory system, comparison should be made with the human stomach, in which gastric juice may be at pH 1-2 under fasting or nocturnal conditions, and with the human urinary bladder, in which the pH of urine can range from <5 to > 7 and normally averages 6.2. Furthermore, exposures to low pH in vivo differ from exposures <i>in vitro</i> in that, <i>in vivo</i> , only a portion of the cell surface is subjected to the adverse conditions, so that perturbation of intracellular homeostasis may be maintained more readily than in vitro. The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.		
SODIUM CHLORIDE	The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.		
	Asthma-like symptoms may continue for months or even known as reactive airways dysfunction syndrome (RADS	-	
CITRIC ACID & HYDROCHLORIC ACID & SODIUM CHLORIDE	asthma-like symptoms within minutes to hours of a docur airflow pattern on lung function tests, moderate to severe lymphocytic inflammation, without eosinophilia. RADS (o the concentration of and duration of exposure to the irrita result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough an	ious airways disease in a non-atopic mented exposure to the irritant. Othe bronchial hyperreactivity on methac r asthma) following an irritating inhal ting substance. On the other hand, i substance (often particles) and is co	c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversib choline challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a
HYDROCHLORIC ACID &	asthma-like symptoms within minutes to hours of a docur airflow pattern on lung function tests, moderate to severe lymphocytic inflammation, without eosinophilia. RADS (of the concentration of and duration of exposure to the irrita result of exposure due to high concentrations of irritating	ious airways disease in a non-atopic mented exposure to the irritant. Other bronchial hyperreactivity on methar r asthma) following an irritating inhal ting substance. On the other hand, i substance (often particles) and is co id mucus production. repeated exposure and may produc- na) and swelling epidermis. Histolog	c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversib choline challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a ompletely reversible after exposure ceases. The e a contact dermatitis (nonallergic). This form of
HYDROCHLORIC ACID & SODIUM CHLORIDE CITRIC ACID & SODIUM	asthma-like symptoms within minutes to hours of a docur airflow pattern on lung function tests, moderate to severe lymphocytic inflammation, without eosinophilia. RADS (of the concentration of and duration of exposure to the irrita result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough an The material may cause skin irritation after prolonged or dermatitis is often characterised by skin redness (eryther	ious airways disease in a non-atopic mented exposure to the irritant. Othe bronchial hyperreactivity on methac r asthma) following an irritating inhal ting substance. On the other hand, i substance (often particles) and is co d mucus production. repeated exposure and may produce na) and swelling epidermis. Histolog e epidermis.	c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversib choline challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a ompletely reversible after exposure ceases. The e a contact dermatitis (nonallergic). This form of
HYDROCHLORIC ACID & SODIUM CHLORIDE CITRIC ACID & SODIUM CHLORIDE HYDROCHLORIC ACID &	asthma-like symptoms within minutes to hours of a docur airflow pattern on lung function tests, moderate to severe lymphocytic inflammation, without eosinophilia. RADS (o the concentration of and duration of exposure to the irrita result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough an The material may cause skin irritation after prolonged or dermatitis is often characterised by skin redness (eryther spongy layer (spongiosis) and intracellular oedema of the	ious airways disease in a non-atopic mented exposure to the irritant. Othe bronchial hyperreactivity on methac r asthma) following an irritating inhal ting substance. On the other hand, i substance (often particles) and is co d mucus production. repeated exposure and may produce na) and swelling epidermis. Histolog e epidermis.	c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversib choline challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a ompletely reversible after exposure ceases. The e a contact dermatitis (nonallergic). This form of
HYDROCHLORIC ACID & SODIUM CHLORIDE CITRIC ACID & SODIUM CHLORIDE HYDROCHLORIC ACID & WATER	asthma-like symptoms within minutes to hours of a docur airflow pattern on lung function tests, moderate to severe lymphocytic inflammation, without eosinophilia. RADS (o the concentration of and duration of exposure to the irrita result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough ar The material may cause skin irritation after prolonged or dermatitis is often characterised by skin redness (eryther spongy layer (spongiosis) and intracellular oedema of the No significant acute toxicological data identified in literatu	ious airways disease in a non-atopic mented exposure to the irritant. Othe bronchial hyperreactivity on methar r asthma) following an irritating inhal ting substance. On the other hand, i substance (often particles) and is co d mucus production. repeated exposure and may produc na) and swelling epidermis. Histolog e epidermis.	c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversib sholine challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a simpletely reversible after exposure ceases. The e a contact dermatitis (nonallergic). This form of ically there may be intercellular oedema of the
HYDROCHLORIC ACID & SODIUM CHLORIDE CITRIC ACID & SODIUM CHLORIDE HYDROCHLORIC ACID & WATER Acute Toxicity Skin Irritation/Corrosion	asthma-like symptoms within minutes to hours of a docur airflow pattern on lung function tests, moderate to severe lymphocytic inflammation, without eosinophilia. RADS (oi the concentration of and duration of exposure to the irritar result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough an The material may cause skin irritation after prolonged or dermatitis is often characterised by skin redness (eryther spongy layer (spongiosis) and intracellular oedema of the No significant acute toxicological data identified in literatu	ious airways disease in a non-atopio mented exposure to the irritant. Othe bronchial hyperreactivity on methar r asthma) following an irritating inhal ting substance. On the other hand, i substance (often particles) and is co id mucus production. repeated exposure and may produce na) and swelling epidermis. Histolog e epidermis. are search. Carcinogenicity	c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversib sholine challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a sompletely reversible after exposure ceases. The e a contact dermatitis (nonallergic). This form of ically there may be intercellular oedema of the
HYDROCHLORIC ACID & SODIUM CHLORIDE CITRIC ACID & SODIUM CHLORIDE HYDROCHLORIC ACID & WATER Acute Toxicity	asthma-like symptoms within minutes to hours of a docur airflow pattern on lung function tests, moderate to severe lymphocytic inflammation, without eosinophilia. RADS (of the concentration of and duration of exposure to the irrita result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough an The material may cause skin irritation after prolonged or dermatitis is often characterised by skin redness (eryther spongy layer (spongiosis) and intracellular oedema of the No significant acute toxicological data identified in literatu	ious airways disease in a non-atopic mented exposure to the irritant. Othe bronchial hyperreactivity on methad r asthma) following an irritating inhal ting substance. On the other hand, i substance (often particles) and is co id mucus production. repeated exposure and may produce na) and swelling epidermis. Histolog e epidermis. Irre search. Carcinogenicity Reproductivity	c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversib choline challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a pompletely reversible after exposure ceases. The e a contact dermatitis (nonallergic). This form of ically there may be intercellular oedema of the x

Data available to make classification

SECTION 12 Ecological information

Toxicity

Rowe Scientific pH 2 Citrate Buffer	Endpoint Not Available	Test Duration (hr) Not Available	Species Not Available	Value Not Available	Source Not Available
citric acid	Endpoint EC50(ECx)	Test Duration (hr) 48h	Species Crustacea	Value >50mg/l	Source

	EC50	72h	Algae or other aquatic plants		990mg/l	2
	EC50	48h	Crustacea		>50mg/l	2
	LC50	96h	Fish		>100mg/l	2
	Endpoint	Test Duration (hr)	Species		Value	Source
hydrochloric acid	EC50(ECx)	9.33h	Fish		0.51mg/L	4
	LC50	96h	Fish		334.734mg/L	4
	Endpoint	Test Duration (hr)	Species	Val	ue	Source
	NOEC(ECx)	168h	Crustacea	0.63	3mg/l	4
	EC50	72h	Algae or other aquatic plants	20.	76-36.17mg/L	4
sodium chloride	EC50	48h	Crustacea	340	.7-469.2mg/l	4
	LC50	96h	Fish	364	4-4565mg/l	4
-	EC50	96h	Algae or other aquatic plants	111	0.36mg/L	4
	Endpoint	Test Duration (hr)	Species		Value	Source
water	Not Available	Not Available	Not Available		Not Available	Not Available

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
citric acid	LOW	LOW
hydrochloric acid	LOW	LOW
sodium chloride	LOW	LOW
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
citric acid	LOW (LogKOW = -1.64)
hydrochloric acid	LOW (LogKOW = 0.5392)
sodium chloride	LOW (LogKOW = 0.5392)

Mobility in soil

Ingredient	Mobility
citric acid	LOW (KOC = 10)
hydrochloric acid	LOW (KOC = 14.3)
sodium chloride	LOW (KOC = 14.3)

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal	 Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill.
------------------------------	--

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
citric acid	Not Available
hydrochloric acid	Not Available
sodium chloride	Not Available
water	Not Available
water	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
citric acid	Not Available
hydrochloric acid	Not Available
sodium chloride	Not Available
water	Not Available

Monographs

Australian Inventory of Industrial Chemicals (AIIC)

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

citric acid is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

hydrochloric acid is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule ${\bf 6}$

sodium chloride is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (citric acid; hydrochloric acid; sodium chloride; water)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	Yes		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	Yes		
Vietnam - NCI	Yes		
Russia - FBEPH	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date	22/07/2022
Initial Date	01/11/2009

SDS Version Summary

Version	Date of Update	Sections Updated
2.1	21/06/2012	Ingredients, Supplier Information, Synonyms
4.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors **BEI: Biological Exposure Index** AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.