Rowe Scientific Buffer 10.01 @ 25C ROWE SCIENTIFIC

Chemwatch Hazard Alert Code: 1

Chemwatch: 4660-7 Version No: 9.1.1.1 Safety Data Sheet according to WHS and ADG requirements Issue Date: **10/11/2020** Print Date: **10/11/2020** S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

| Product name | Rowe Scientific Buffer 10.01 @ 25C |
|----------------------------------|--|
| Synonyms | CB3470; CB3475; CB3500; CB3503; CB3505; CB3510; CB3511; CB3512; CB3513; CB3514; CB3515; CB3518; CB3519 |
| Other means of identification | Not Available |

Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Laboratory reagent. |
|--------------------------|---------------------|
|--------------------------|---------------------|

Details of the supplier of the safety data sheet

| Registered company name | ROWE SCIENTIFIC |
|-------------------------|--|
| Address | 11 Challenge Boulevard Wangara WA 6065 Australia |
| Telephone | +61 8 9302 1911 |
| Fax | +61 8 9302 1905 |
| Website | http://rowe.com.au/ |
| Email | rowewa@rowe.com.au |

Emergency telephone number

| Association / Organisation | ROWE SCIENTIFIC |
|-----------------------------------|--------------------------|
| Emergency telephone numbers | +61 8 9302 1911 (24 Hrs) |
| Other emergency telephone numbers | Not Available |

SECTION 2 Hazards identification

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

| Poisons Schedule | Not Applicable |
|-------------------------------|----------------|
| Classification ^[1] | Not Applicable |

Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| | |
| Signal word | Not Applicable |

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|-----------|-----------|--------------------|
| 144-55-8 | <1 | sodium bicarbonate |
| 497-19-8 | <1 | sodium carbonate |
| 7732-18-5 | >60 | water |

SECTION 4 First aid measures

Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|---|
| Skin Contact | If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

| Fire Incompatibility None known. |
|----------------------------------|
|----------------------------------|

Advice for firefighters

| | Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. |
|---------------|--|
| Fire Fighting | Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. |
| | Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. |

| Fire/Explosion Hazard | Non combustible. Not considered to be a significant fire risk. Expansion or decomposition on heating may lead to violent rupture of containers. Decomposes on heating and may produce toxic/ irritating fumes. May emit acrid smoke. |
|-----------------------|--|
| HAZCHEM | Not Applicable |

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| Minor Spills | Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal. |
|--------------|--|
| Major Spills | Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required. Prevent spillage from entering drains or water ways. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal. Wash area and prevent runoff into drains or waterways. If contamination of drains or waterways occurs, advise emergency services. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

| Safe handling | Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. When handling DO NOT eat, drink or smoke. Always wash hands with soap and water after handling. Avoid physical damage to containers. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. |
|-------------------|---|
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. |

Conditions for safe storage, including any incompatibilities

| Suitable container | Glass container is suitable for laboratory quantities Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. |
|-------------------------|--|
| Storage incompatibility | None known |
| \land \land | |



- X Must not be stored together
- ${\bf 0} \quad {\rm May} \ {\rm be} \ {\rm stored} \ {\rm together} \ {\rm with} \ {\rm specific} \ {\rm preventions}$
- + May be stored together

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 |
|--------------------|--------------------|-----------|-----------|-----------|
| sodium bicarbonate | Sodium bicarbonate | 13 mg/m3 | 140 mg/m3 | 840 mg/m3 |
| sodium carbonate | Sodium carbonate | 7.6 mg/m3 | 83 mg/m3 | 500 mg/m3 |

| Ingredient | Original IDLH | Revised IDLH |
|--------------------|---------------|---------------|
| sodium bicarbonate | Not Available | Not Available |
| sodium carbonate | Not Available | Not Available |
| water | Not Available | Not Available |

Occupational Exposure Banding

| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit | |
|------------------|--|----------------------------------|--|
| sodium carbonate | E | ≤ 0.01 mg/m³ | |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. | | |

Exposure controls

| Appropriate engineering controls | General exhaust is adequate under normal operating conditions. |
|----------------------------------|---|
| Personal protection | |
| Eye and face protection | Safety glasses with side shields; or as required, Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] |
| Skin protection | See Hand protection below |
| Hands/feet protection | Wear general protective gloves, eg. light weight rubber gloves. |
| Body protection | See Other protection below |
| Other protection | No special equipment needed when handling small quantities. OTHERWISE: • Overalls. • Barrier cream. • Eyewash unit. |

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

| Required minimum protection | Maximum gas/vapour concentration present in air p.p.m. (by | Half-face | Full-Face |
|-----------------------------|--|------------|------------|
| factor | volume) | Respirator | Respirator |

| up to 10 | 1000 | -AUS / Class1 P2 | - |
|-----------|-------|------------------|-------------------|
| up to 50 | 1000 | - | -AUS / Class 1 P2 |
| up to 50 | 5000 | Airline * | - |
| up to 100 | 5000 | - | -2 P2 |
| up to 100 | 10000 | - | -3 P2 |
| 100+ | | | Airline** |

* - Continuous Flow ** - Continuous-flow or positive pressure demand

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

| Appearance | Blue or clear liquid with no odour; mixes with wa | ater. | |
|---|---|--|----------------|
| Physical state | Liquid | Relative density (Water = 1) | 1.0 approx |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | 9.99-10.01 | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Applicable | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | 100approx | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | >98 (water) |
| Vapour pressure (kPa) | 2.3 @ 20 C | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

SECTION 10 Stability and reactivity

| Reactivity | See section 7 |
|------------------------------------|---|
| Chemical stability | Product is considered stable and hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 Toxicological information

Information on toxicological effects

| Inhaled | Not normally a hazard due to non-volatile nature of product |
|-----------|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. |

| Rowe | Scientific | Buffer | 10.01 | @ | 25C |
|--------|------------|--------|-------|---|-----|
| 110110 | 0010111110 | Danci | 10.01 | 9 | 200 |

| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. |
|--------------|--|
| Eye | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). |
| Chronic | Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following. As with any chemical product, contact with unprotected bare skin; inhalation of vapour, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice. |

| Rowe Scientific Buffer | ΤΟΧΙCITY | IRRITATION |
|------------------------|---|--|
| 10.01 @ 25C | Not Available | Not Available |
| | ΤΟΧΙΟΙΤΥ | IRRITATION |
| | 10000 mg/kg ^[2] | Eye (rabbit): 100 mg rinse - mild |
| | 1260 mg/kg ^[2] | |
| sodium bicarbonate | 14432 mg/kg ^[2] | |
| | Oral (rat) LD50: =500 mg/kg ^[2] | |
| | Oral (rat) LD50: 4220 mg/kg ^[2] | |
| | ΤΟΧΙΟΙΤΥ | IRRITATION |
| | 714 mg/kg ^[2] | Eye (rabbit): 100 mg/24h moderate |
| | dermal (rat) LD50: >2000 mg/kg ^[2] | Eye (rabbit): 100 mg/30s mild |
| | Inhalation (guinea pig) LC50: 0.4 mg/l/2h ^[2] | Eye (rabbit): 50 mg SEVERE |
| sodium carbonate | Inhalation (rat) LC50: 1.15 mg/l/2he ^[2] | Eye: adverse effect observed (irritating) ^[1] |
| | Oral (mouse) LD50: 6600 mg/kg ^[2] | Skin (rabbit): 500 mg/24h mild |
| | Oral (rat) LD50: =4090 mg/kg ^[2] | Skin: no adverse effect observed (not irritating) ^[1] |
| | Oral (rat) LD50: 2800 mg/kg ^[2] | |
| | ΤΟΧΙΟΙΤΥ | IRRITATION |
| water | Oral (rat) LD50: >90000 mg/kg ^[2] | Not Available |
| Legend: | 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. | |

| SODIUM BICARBONATE | Oral (human-infant) TDLo: 1260 mg/kg Skin (human): 30 mg/3d-I-mild | | |
|--|---|------------------------|---|
| SODIUM CARBONATE | Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production. For sodium carbonate: Sodium carbonate has little potential for skin irritation, but is irritating to the eyes. Due to its alkaline properties, irritation of the airways is also possible. There is no data available for animal studies regarding the repeated dose toxicity of sodium carbonate by any route. There is no evidence that sodium carbonate causes whole-body effects under normal handling and use. Sodium carbonate does not reach the foetus or the reproductive organs, which shows that there is no risk for developmental or reproductive toxicity. Sodium carbonate has not been shown to cause genetic toxicity or mutations. | | |
| WATER | No significant acute toxicological data identified in literature search. | | |
| SODIUM BICARBONATE & SODIUM CARBONATE | The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. | | |
| Acute Toxicity | × | Carcinogenicity | × |
| Skin Irritation/Corrosion | × | Reproductivity | × |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |

| Respiratory or Skin sensitisation | × STOT - Repeated E | xposure 🗙 |
|-----------------------------------|----------------------|--|
| Mutagenicity | × Aspiration | Hazard X |
| | Lecend: Y - Data eit | her not available or does not fill the criteria for classification |

egend: X − Data either not available or does not fill the criteria for classification
 ✓ − Data available to make classification

SECTION 12 Ecological information

Toxicity

| Rowe Scientific Buffer 10.01 @ 25C | Endpoint | Test Duration (hr) | Species | Value | Source |
|---|------------------|---|--------------------------------------|-------------------------|------------------|
| | Not Available | Not Available | Not Available | Not Available | Not Available |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| | LC50 | 96 | Fish | 7-550mg/L | 2 |
| sodium bicarbonate | EC50 | 48 | Crustacea | 1-20mg/L | 2 |
| | NOEC | 48 | Crustacea | 3-100mg/L | 2 |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| e e l'anna a chaire a | LC50 | 96 | Fish | 300mg/L | 2 |
| sodium carbonate | EC50 | 48 | Crustacea | 265mg/L | 2 |
| | NOEC | 96 | Fish | =550mg/L | 1 |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| water | Not Available | Not Available | Not Available | Not Available | Not Available |
| Legend: | 3. EPIWIN Sı | n 1. IUCLID Toxicity Data 2. Europe ECHA iite V3.12 (QSAR) - Aquatic Toxicity Data (E iatic Hazard Assessment Data 6. NITE (Jap | Estimated) 4. US EPA, Ecotox databas | e - Aquatic Toxicity Da | ata 5. |

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|--------------------|-------------------------|------------------|
| sodium bicarbonate | LOW | LOW |
| sodium carbonate | LOW | LOW |
| water | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation | |
|--------------------|------------------------|--|
| sodium bicarbonate | LOW (LogKOW = -0.4605) | |
| sodium carbonate | LOW (LogKOW = -0.4605) | |
| water | LOW (LogKOW = -1.38) | |

Mobility in soil

| Ingredient | Mobility |
|--------------------|------------------|
| sodium bicarbonate | HIGH (KOC = 1) |
| sodium carbonate | HIGH (KOC = 1) |
| water | LOW (KOC = 14.3) |

SECTION 13 Disposal considerations

| Product / Packaging disposal | Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed. |
|---------------------------------|--|
|---------------------------------|--|

SECTION 14 Transport information

Labels Required

| • | |
|------------------|----------------|
| Marine Pollutant | NO |
| HAZCHEM | Not Applicable |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

Australian Inventory of Industrial Chemicals (AIIC)

sodium carbonate is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 10 / Appendix C

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

| National Inventory | Status |
|-----------------------------------|--|
| Australia - AIIC | Yes |
| Australia - Non-Industrial Use | No (sodium bicarbonate; sodium carbonate; water) |
| Canada - DSL | Yes |
| Canada - NDSL | No (sodium bicarbonate; sodium carbonate; water) |
| China - IECSC | Yes |
| Europe - EINEC / ELINCS / NLP | Yes |
| Japan - ENCS | Yes |
| Korea - KECI | Yes |
| New Zealand - NZIoC | Yes |
| Philippines - PICCS | Yes |
| USA - TSCA | Yes |
| Taiwan - TCSI | Yes |
| Mexico - INSQ | Yes |
| Vietnam - NCI | Yes |
| Russia - ARIPS | Yes |

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

Australian Inventory of Industrial Chemicals (AIIC)

| National Inventory | Status |
|--------------------|---|
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

SECTION 16 Other information

| Revision Date | 10/11/2020 |
|---------------|------------|
| Initial Date | 14/12/2005 |

SDS Version Summary

| Version | Issue Date | Sections Updated |
|---------|------------|--|
| 8.1.1.1 | 01/11/2019 | One-off system update. NOTE: This may or may not change the GHS classification |
| 9.1.1.1 | 10/11/2020 | Name |

Other information

Ingredients with multiple cas numbers

| Name | CAS No |
|--------------------|--|
| sodium bicarbonate | 144-55-8, 1182403-48-0, 151127-72-9, 172672-17-2, 196216-68-9, 199723-76-7, 246180-97-2, 276253-15-7, 29136-18-3 |
| sodium carbonate | 497-19-8, 7542-12-3, 1314087-39-2, 1332-57-6, 1977561-09-3 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC – TWA: Permissible Concentration-Time Weighted Average PC – STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit_o IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.